

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

US GHS SDS

Revision date: 12/14/2021 Date of Issue: 06/03/2021

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Power Out Fresh Clean

Product Code: 50769, 50770, 50771, 50817, 50826, 51021

1.2. Intended Use of the Product: General Purpose Cleaner – Non-Aerosol

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

Turtle Wax, Inc.

2250 W. Pinehurst Blvd., Suite 150

Addison, IL 60101-6103

Phone Number: 1(630)455-3700 Toll-Free Number: 1(800)887-8539

1.4. Emergency Telephone Number

Emergency Number : ChemTel LLC

1-800-255-3924 (US and Canada) 1-813-248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Sens. 1A H317

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US)
 H317 - May cause an allergic skin reaction.
 Precautionary Statements (GHS-US)
 P261 - Avoid breathing mist, spray, vapors.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification

12/14/2021 EN (English US) 1/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Sodium lauryl sulfate	Sodium lauryl sulfate / Dodecyl sodium sulfate / Dodecyl sulfate, sodium	(CAS-No.) 151-21-3	0.6 – 1.25	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 Comb. Dust
Diethylene glycol monobutyl ether	Butoxydiglycol / Butyl carbitol / Butyl dioxitol	(CAS-No.) 112-34-5	0.3 – 0.4	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
1,2-Propanediol	Propylene glycol / 1,2-Propylene glycol / 1,2-Dihydroxypropane	(CAS-No.) 57-55-6	< 0.1	Not classified
D-Limonene	d-Limonene / Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- / Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	(CAS-No.) 5989-27-5	< 0.004	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methanol	Methanol / Methyl alcohol / Carbinol	(CAS-No.) 67-56-1	< 0.0025	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370
2-Butoxyethanol	Butoxyethanol / 2-Butoxy-1- ethanol / Butoxyethanol	(CAS-No.) 111-76-2	≤ 0.0005	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
1-Butanol	Butanol / n-Butyl alcohol / n- Butanol	(CAS-No.) 71-36-3	≤ 0.0005	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
Ethylene glycol	Ethylene Glycol / 1,2- Dihydroxyethane / Ethane-1,2- diol	(CAS-No.) 107-21-1	≤ 0.0005	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization.

12/14/2021 EN (English US) 2/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Sulfur oxides. Sodium oxides.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures 6.1.

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions 6.2.

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert

material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. **Precautions for Safe Handling**

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

7.2. **Conditions for Safe Storage, Including Any Incompatibilities**

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents.

12/14/2021 3/11 EN (English US)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

7.3. Specific End Use(s) General Purpose Cleaner – Non-Aerosol

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Methanol (67	7-56-1)			
USA ACGIH	ACGIH OEL TWA [ppm]	200 ppm		
USA ACGIH	ACGIH OEL STEL [ppm]	250 ppm		
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route		
USA ACGIH	BEI (BLV)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: enc of shift (background, nonspecific)		
USA NIOSH	NIOSH REL (TWA)	260 mg/m³		
USA NIOSH	NIOSH REL TWA [ppm]	200 ppm		
USA NIOSH	NIOSH REL (STEL)	325 mg/m ³		
USA NIOSH	NIOSH REL STEL [ppm]	250 ppm		
USA IDLH	IDLH [ppm]	6000 ppm		
USA OSHA	OSHA PEL (TWA) [1]	260 mg/m³		
USA OSHA	OSHA PEL (TWA) [2]	200 ppm		
1,2-Propaned	liol (57-55-6)			
USA AIHA	WEEL TWA	10 mg/m³		
Diethylene gl	ycol monobutyl ether (112-34-5)			
USA ACGIH	ACGIH OEL TWA [ppm]	10 ppm (inhalable fraction and vapor)		
2-Butoxyetha	nnol (111-76-2)			
USA ACGIH	ACGIH OEL TWA [ppm]	20 ppm		
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Hum		
USA ACGIH	BEI (BLV)	200 mg/g Kreatinin Parameter: Butoxyacetic acid with hydrolysis - Medium: urine - Sampling time: end of shift		
USA NIOSH	NIOSH REL (TWA)	24 mg/m³		
USA NIOSH	NIOSH REL TWA [ppm]	5 ppm		
USA IDLH	IDLH [ppm]	700 ppm		
USA OSHA	OSHA PEL (TWA) [1]	240 mg/m ³		
USA OSHA	OSHA PEL (TWA) [2]	50 ppm		
USA OSHA	Limit value category (OSHA)	prevent or reduce skin absorption		
1-Butanol (71	1-36-3)			
USA ACGIH	ACGIH OEL TWA [ppm]	20 ppm		
USA NIOSH	NIOSH REL (Ceiling)	150 mg/m³		
USA NIOSH	NIOSH REL C [ppm]	50 ppm		
USA IDLH	IDLH [ppm]	1400 ppm (10% LEL)		
USA OSHA	OSHA PEL (TWA) [1]	300 mg/m³		
USA OSHA	OSHA PEL (TWA) [2]	100 ppm		
Ethylene glyc	ol (107-21-1)			
USA ACGIH	ACGIH OEL TWA [ppm]	25 ppm (vapor fraction)		
USA ACGIH	ACGIH OEL STEL	10 mg/m³ (inhalable particulate matter, aerosol only)		
USA ACGIH	ACGIH OEL STEL [ppm]	50 ppm (vapor fraction)		
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen		
D-Limonene	(5989-27-5)			
USA AIHA	WEEL TWA [ppm]	30 ppm		

8.2. Exposure Controls

Appropriate Engineering Controls

12/14/2021 EN (English US) 4/11

[:] Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing

: Chemically resistant materials and fabrics.

Hand Protection
Eve and Face Protection

: Wear protective gloves.: Chemical safety goggles.

Skin and Body Protection

: Wear suitable protective clothing.

Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information

: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : Translucent/Hazy White

Odor : Fresh

Odor Threshold : No data available

pH : 8.9

Evaporation Rate: No data availableMelting Point: No data availableFreezing Point: No data availableBoiling Point: No data available

Flash Point : > 93 °C (199.4 °F) (Closed Cup)

Auto-ignition Temperature: No data availableDecomposition Temperature: No data availableFlammability (solid, gas): Not applicableVapor Pressure: No data availableRelative Vapor Density at 20°C: No data availableRelative Density: No data available

Specific Gravity : 1.002

Solubility : No data available
Partition Coefficient: N-Octanol/Water : No data available
Viscosity : No data available
Viscosity, Dynamic : Water Thin
9.2. Other Information No additional information available

VOC content (California) : 0%
% NVM by Weight : 1.60%

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents.
- **10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO₂). Nitrogen oxides. Sodium oxides. Sulfur oxides. Aldehydes. Ketones. Organic acids.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

12/14/2021 EN (English US) 5/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations $\underline{\sf US}$ GHS SDS

Sodium lauryl sulfate (151-21-3)		
LD50 Oral Rat	1288 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
LC50 Inhalation Rat	> 3900 mg/m³ (Exposure time: 1 h)	
Methanol (67-56-1)		
LD50 Dermal Rabbit	15840 mg/kg	
LC50 Inhalation Rat	22500 ppm (Exposure time: 8 h)	
ATE (Oral)	100.00 mg/kg body weight	
ATE (Dermal)	300.00 mg/kg body weight	
ATE (Vapors)	3.00 mg/l/4h	
1,2-Propanediol (57-55-6)		
LD50 Oral Rat	20 g/kg	
LD50 Dermal Rabbit	20800 mg/kg	
Diethylene glycol monobutyl ether (112-34-5)		
LD50 Oral Rat	5660 mg/kg	
LD50 Dermal Rabbit	2700 mg/kg	
2-Butoxyethanol (111-76-2)		
LD50 Oral Rat	470 mg/kg	
LD50 Dermal Rabbit	435 mg/kg	
LC50 Inhalation Rat	2.2 mg/l/4h	
LC50 Inhalation Rat	486 ppm/4h	
1-Butanol (71-36-3)		
LD50 Oral Rat	700 mg/kg	
LD50 Dermal Rabbit	3402 mg/kg	
LC50 Inhalation Rat	> 8000 ppm/4h	
Ethylene glycol (107-21-1)		
LD50 Dermal Rat	10600 mg/kg	
ATE (Oral)	500.00 mg/kg body weight	
D-Limonene (5989-27-5)		
LD50 Oral Rat	4400 mg/kg	
LD50 Dermal Rabbit	> 5 g/kg	

Skin Corrosion/Irritation: Not classified

pH: 8.9

Serious Eye Damage/Irritation: Not classified.

pH: 8.9

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified **Carcinogenicity:** Not classified

2-Butoxyethanol (111-76-2)	
IARC group 3	
D-Limonene (5989-27-5)	
IARC group 3	
National Toxicology Program (NTP) Status Evidence of Carcinogenicity.	

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

12/14/2021 EN (English US) 6/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

SECTION 12: ECOLOGICAL INFORMATION

12.1. **Toxicity**

Ecology - General : Not classified.

Ecology - General	: Not classified.	
Sodium lauryl sulfate (151-21-3)		
LC50 Fish 1	8 (8 – 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fish 2	15 (15 – 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
NOEC Chronic Crustacea	0.88 mg/l	
Methanol (67-56-1)		
LC50 Fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 - Crustacea [1]	1340 mg/l	
LC50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
1,2-Propanediol (57-55-6)		
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 - Crustacea [1]	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)	
LC50 Fish 2	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 - Crustacea [2]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Diethylene glycol monobutyl ether (112-3	4-5)	
LC50 Fish 1	1300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
2-Butoxyethanol (111-76-2)		
LC50 Fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
1-Butanol (71-36-3)		
LC50 Fish 1	1730 – 1910 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1983 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fish 2	1740 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 - Crustacea [2]	1897 – 2072 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC Chronic Crustacea	4.1 mg/l	
Ethylene glycol (107-21-1)		
LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fish 2	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
NOEC Chronic Crustacea	4.2 mg/l	
D-Limonene (5989-27-5)		
LC50 Fish 1	0.619 (0.619 – 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas	
	[flow-through])	
EC50 - Crustacea [1]	0.421 mg/l	
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
12.2 Postictance and Dogradability		

12.2. **Persistence and Degradability**

Power Out Fresh Clean	
Persistence and Degradability	Not established.

12.3. **Bioaccumulative Potential**

Power Out Fresh Clean			
Bioaccumulative Potential	Not established.		
Sodium lauryl sulfate (151-21-3)	Sodium lauryl sulfate (151-21-3)		
BCF Fish 1	(will not bioconcentrate)		
Partition coefficient n-octanol/water (Log	1.6		
Pow)			
Methanol (67-56-1)			
BCF Fish 1	< 10		

12/14/2021 EN (English US) 7/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Doubition coefficient is actorial/water/Lea	-0.77	
Partition coefficient n-octanol/water (Log	-0.77	
Pow)		
1,2-Propanediol (57-55-6)		
BCF Fish 1	<1	
Partition coefficient n-octanol/water (Log	-0.92	
Pow)		
Diethylene glycol monobutyl ether (112-34-5)		
BCF Fish 1	(no bioconcentration expected)	
2-Butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water (Log	0.81 (at 25 °C)	
Pow)		
1-Butanol (71-36-3)		
BCF Fish 1	0.64	
Partition coefficient n-octanol/water (Log	0.785 (at 25 °C)	
Pow)		
Ethylene glycol (107-21-1)		
Partition coefficient n-octanol/water (Log	-1.93	
Pow)		

- **12.4. Mobility in Soil** No additional information available
- 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

9			
Power Out Fresh Clean			
SARA Section 311/312 Hazard Classes Health hazard - Respiratory or skin sensitization			
Methanol (67-56-1)			
Subject to reporting requirements of United State	es SARA Section 313		
CERCLA RQ	CERCLA RQ 5000 lb		
SARA Section 313 - Emission Reporting 1 %			
1-Butanol (71-36-3)			
Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ 5000 lb			
SARA Section 313 - Emission Reporting 1 %			
Ethylene glycol (107-21-1)			
Subject to reporting requirements of United States SARA Section 313			
ERCLA RQ 5000 lb			
SARA Section 313 - Emission Reporting 1 %			

12/14/2021 EN (English US) 8/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

15.2. US State Regulations

Methanol (67-56-1)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

1,2-Propanediol (57-55-6)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

2-Butoxyethanol (111-76-2)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

1-Butanol (71-36-3)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Ethylene glycol (107-21-1)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

California Proposition 65



WARNING: This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Methanol (67-56-1)		X		
Ethylene glycol (107-21-1)		X		

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision: 12/14/2021Formula Identification Number: 40762

 Other Information
 : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapor) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1A	Carcinogenicity Category 1A
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A

12/14/2021 EN (English US) 9/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

DS	
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Flam. Sol. 2	Flammable solids Category 2
Muta. 2	Germ cell mutagenicity Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H350	May cause cancer
H370	Causes damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA Health Hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA Fire Hazard

: 1 - Materials that must be preheated before

ignition can occur.

NFPA Reactivity Hazard

: 0 - Material that in themselves are normally stable,

even under fire conditions.

HMIS III Rating

Health : 2 Moderate Hazard **Flammability** : 1 Slight Hazard **Physical** : 0 Minimal Hazard



12/14/2021 EN (English US) 10/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Legal disclaimer: Turtle Wax, Inc. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use, including transportation, storage and disposal which are outside of our control.

SDS US (GHS HazCom)

12/14/2021 EN (English US) 11/11